PSCO₂ Injection Monitoring using an Experimental Modular Borehole Monitoring (MBM) System*

George J. Koperna¹, Robert Trautz², Thomas M. Daley³, Barry M. Freifeld³, and Kevin Dodds⁴

Search and Discovery Article #80305 (2013)**
Posted July 31, 2013

*Adapted from poster presentation given at AAPG 2013 Annual Convention and Exhibition, Pittsburgh, Pennsylvania, May 19-22, 2013

Abstract

The U.S. Southeast Regional Carbon Sequestration Partnership (SECARB) Anthropogenic Test is a demonstration of CO₂ capture from a coal-fired power plant, transport, geologic storage and monitoring technologies. Starting in August 2012, up to 550 metric tons of CO₂ have been captured and injected underground per day. Operations will continue for two years and monitoring will be deployed through 2017. One of the goals of the project is to test experimental monitoring technologies and, as part of this effort, the project team installed an innovative tubing deployed modular borehole monitoring (MBM) system designed at Lawrence Berkeley National Laboratory and supported by CO₂ Capture Project (CCP) as a field trial project. The MBM was designed with the aim of deploying a robust flexible monitoring package that maximizes the data collected in a single-well monitoring system while minimizing installation risks. This system includes U-tube reservoir fluid sampler, heat-pulse cable with fiber-optic distributed temperature sensor (DTS), a geophone array for borehole seismic acquisition and discrete downhole pressure/temperature sensors at the level of the storage reservoir. The MBM system was installed in the project's monitoring well in March 2012, all of the components were tested, and baseline measurements were performed prior to the onset of CO₂ injection. This baseline effort included the acquisition and characterization of reservoir fluid samples, testing of the heat-pulse/DTS system, a continuous record of reservoir pressure and the acquisition of baseline vertical seismic profiles using the borehole geophone array. This paper will present the results of the baseline and injection-phase monitoring efforts to date using the MBM.

^{**}AAPG©2013 Serial rights given by author. For all other rights contact author directly.

¹Advanced Resources International, Inc. Arlington, VA (gkoperna@adv-res.com)

²Electric Power Research Institute, Knoxville, TN

³Berkeley Lab, Berkeley, CA

⁴CO₂ Capture Project, Houston, TX (<u>kevin.dodds@bp.com</u>)



CO₂ Injection Monitoring using an Experimental Modular Borehole Monitoring (MBM) System Koperna, George J.¹; Trautz, Robert²; Daley, Thomas M.³; Freifeld, Barry M.³; Dodds, Kevin⁴

ABSTRACT

The Southeast Regional Carbon Sequestration Partnership (SECARB) Phase III Anthropogenic Test is a demonstration of CO₂ capture from a coal-fired power plant, transport, geologic storage and monitoring technologies, injecting a maximum of 550 metric tons of CO₂ per day into the Paluxy formation in the Citronelle dome. Operations will continue for two years and monitoring will be deployed through 2017. A goal of the project is to test experimental monitoring technologies deployed and installed in an innovative Modular Borehole Monitoring (MBM) system designed at Lawrence Berkeley National Laboratory. The MBM was designed to deploy a robust flexible monitoring package that maximizes the data collected in a single-well monitoring system while minimizing installation risks. The system includes U-tube reservoir fluid sampler, heat-pulse cable with fiber-optic distributed temperature sensor (DTS), a geophone array for borehole seismic acquisition, and discrete downhole pressure/temperature sensors at the level of the storage reservoir. The MBM system was installed in March 2012 and all of the components were tested and baseline measurements were performed prior to the onset of CO₂ injection. This baseline effort included the acquisition and characterization of reservoir fluid samples, testing of the heat-pulse/DTS system, a continuous record of reservoir pressure and the acquisition of baseline vertical seismic profiles using the borehole geophone array.

ACKNOWLEDGEMENT


This presentation is based upon work supported by the Department of Energy National Energy Technology Laboratory under DE-FC26-05NT42590 and was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof. The efforts of the following are acknowledged as key to the completion of this effort. The project also recognizes the efforts of the Carbon capture Project for their support in






















MBM Design: Flat-Pack and Geophone

DTS, Heater, DAS
Hybrid 6-copper, 4-filber-optic cable

six 20 AWG CONDUCTORS & FOUR FIBER FIRM STAINLESS STEEL TUBE

F. D. C. B. A

8 - 8.20 AWG 27/38 In Coaled Copper, 0.1 - 8 86 mm (8.027) Normal

Components

A - 8 - 8.20 AWG 27/38 In Coaled Copper, 0.1 - 1.0 mm (9.027) Normal

In Coaled Copper (1.0 - 1.75 mm (9.027) Normal

Hybrid copper fiber-optic cable

Geophone TEC

White Page 0.0. 7.75 mm (9.027) Normal

F. SILL Stankes Steel Tube: Wall Trideness: 9.89 mm (9.027), 0.0: 9.50 mm (9.037) Normal


Welded Geophone Line




RUN-IN DATA

Deployment is facilitated by bundling the 7 control lines in a polypropylenejacketed flatpack, using a non-rotating off-center overshot to couple the uphole, dual-mandrel hydroset packer assembly. The bottom of the packer was landed at a depth of ~9,400 feet (2,865 m) and the entire completion depth was 9,850 feet (3,002 m), requiring 4 – 24 hour-aday operations to install.






MBM Geophone Array: Baseline VSP



Experimental: Fiber Optic VSP



- Fiber Optic Cable being the sensor: provides very large receiver array
- Complete wellbore coverage for every source firing
- Dynamically change the sensor/antenna length to any value greater than one (1)
- High fold with walk-away / 3-D VSP
- Identification of lateral variations in lithology for Well-Placement and Landing ERD wells
- 3-D Velocity and Anisotropy

MBM COMPONENTS

The components are designed for long-term operation in a CO₂ environment. The backbone of the MBM system consists of (i) integrated 9 mm fiber-optic (FO) sensor array consisting of a single-mode fiber for acoustic monitoring of flow and active seismic imaging of the CO₂ plume; (ii) a multi-mode fiber for performing Distributed Temperature Sensing (DTS) embedded within copper conductors for performing heat-pulse interrogation of the near-wellbore environment to determine the thermal conductivity of the near-wellbore (fluid, casing and rock) system where changes in saturation can be indication of CO₂ migration, thereby integrating combining geophysical and hydrological monitoring that take advantage of the benefits of commercial grade telecom fibers including longevity (50 year life span), reliability, low cost and widespread availability with 1 foot resolution; (iii) tube-in-tube U-tube sampler for collection of deep reservoir fluid sampled; and (iv) coaxial cable for monitoring of pressure and temperature data.

