

## **Characterizing the Geologic Container at the Weyburn Field for Subsurface CO<sub>2</sub> Storage Associated with EOR**

Steve G. Whittaker\*, Kim Kreis, Sask. Energy & Mines, Regina, SK S4N 4G3  
[swhittaker@sem.gov.sk.ca](mailto:swhittaker@sem.gov.sk.ca)

Tom L. Davis, Colorado School of Mines, Golden, CO 80401-1887

Zoltan Hajnal, Bhaskar Pandit, University of Saskatoon, SK S7N 0W0

Tom Heck, North Dakota Geologic Survey, Bismarck ND 58501

Lyndon Penner, Mollard & Associates, Regina, SK S4P 0R7

Hairuo Qing, University of Regina, Regina, SK S4S 0A2

and

Ben Rostron, University of Alberta, Edmonton T6G 2M7

Long-term CO<sub>2</sub> sequestration in the Weyburn Oil Field is being extensively studied as benefit associated with CO<sub>2</sub> miscible flood for EOR. The International Energy Agency and PanCanadian Corporation are participating in a multi-disciplinary research effort into the viability of long-term subsurface storage of greenhouse gases.

To store CO<sub>2</sub> effectively for geologically significant time, the integrity of the geologic container must be determined from reservoir to regional scale. High-resolution geophysical techniques using shear waves serve to characterize fracture distribution within the reservoir and help predict injected CO<sub>2</sub> movement. Diagenetic processes that affect the sealing capacity around the Weyburn Field are being identified and mapped. A 40,000km<sup>2</sup> region surrounding the 27km<sup>2</sup> injection area within the Weyburn Field is being further investigated by various researchers to provide detailed information on areas of salt dissolution, evaporite deposition, and the identification of fluid migration barriers and pathways. These features and processes will be examined throughout the entire sedimentary column, from the contact with Precambrian basement to glacial sediments at the surface, to identify possible migration conduits. Satellite imagery of surface lineaments will locate potential associations with underlying tectonic elements. Integration of the data obtained from these studies with novel techniques of reprocessed and inverted seismic data will lead to the development of a detailed three-dimensional earth model for a large portion of the northern Williston Basin.

The Weyburn CO<sub>2</sub> Monitoring Project will increase the understanding of mechanisms involved in subsurface storage of CO<sub>2</sub> and also of EOR projects using CO<sub>2</sub> miscible flood techniques.